

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	462	717/129.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/08/27 03:11
L3	3740	713/2.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/08/27 03:11
L4	2710	714/38.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/08/27 03:11
L5	6816	2 or 3 or 4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/08/27 03:11
L6	0	5 and (BIOS or Driver) with breakpoint with emulator	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/08/27 03:12
L7	6	5 and (BIOS or Driver) with breakpoint	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/08/27 03:12

L8	427	5 and breakpoint with (set\$4 or reset\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/08/27 03:13
L9	99	8 and (BIOS or Driver)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/08/27 03:13
L10	21	5 and breakpoint with (set\$4 or reset\$4) with path	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/08/27 03:14
L12	6	((BIOS or Driver) with breakpoint).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/08/27 03:15
L13	564	(breakpoint with (set\$4 or reset \$4)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/08/27 03:15
L14	105	(breakpoint with (set\$4 or reset \$4) with (value or parameter or branch)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/08/27 03:16
L15	17	(breakpoint with (set\$4 or reset \$4) with path).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/08/27 03:17
L16	0	15 and (BIOS or driver)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2010/08/27 03:17

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L17	3	((BIOS or Driver) with breakpoint).clm.	USPAT; UPAD	AND	ON	2010/08/27 03:17
L18	294	(breakpoint with (set\$4 or reset\$4)).clm.	USPAT; UPAD	AND	ON	2010/08/27 03:18
L19	59	(breakpoint with (set\$4 or reset\$4) with (value or parameter or branch)).clm.	USPAT; UPAD	AND	ON	2010/08/27 03:18
L20	8	(breakpoint with (set\$4 or reset\$4) with path).clm.	USPAT; UPAD	AND	ON	2010/08/27 03:19
L21	0	20 and (BIOS or driver)	USPAT; UPAD	AND	ON	2010/08/27 03:19

8/ 27/ 2010 3:20:29 AM**C:\ Documents and Settings\ zwei\ My Documents\ EAST\ Workspaces\ 10708153.wsp**